INDEX TO VOLUME 38 2003

Index to Authors and Contributors

ABERŠEK, B. *Paper* Mathematical models for determination of the residual stresses in gears, 529
ADIBI-ASL, R. *Paper* Mixed-mode fatigue crack propagation in thin T-sections under plane stress, 557
AKOUR, S. N. *Paper* Design of a defence hole system for a shear-loaded plate, 507
ALFONSO, J. A. *Paper* Control of geometrical sources of error in residual stress analysis by energy-dispersive X-ray diffraction, 283

BALIČ, J. *Paper* Mathematical models for determination of the residual stresses in gears, 529
BASU, J. *Paper* An investigation for control of residual stress in roller-straightened rails, 261
BRADON, J. E. *Paper* Comparison of white metal and resin socket terminations for wire ropes, 149
BROOKFIELD, D. J. *Paper* A technique for the determination of post-yield material properties from the small punch test, 367

CARDOU, A. *Paper* Fretting fatigue analysis of aluminium conductor wires near the suspension clamp: metallurgical and fracture mechanics analysis, 133
CHEN, J. *Paper* Study on the transient response and wavelet time–frequency feature of a cracked rotor passage through a subcritical speed, 269
CHOI, D. H. *Paper* A self-powered damage detection sensor, 115
CRISTOFOLINI, L. *Paper* Strain patterns induced by press-fitting and by an external load in hip arthroplasty: a photoelastic coating study on bone models, 289

DAVIES, T. J. *Paper* Simple determination of the axial stiffness for large-diameter independent wire rope core or fibre core wire ropes, 577
DeWALD, A. T. *Paper* Improved data reduction for the deep-hole method of residual stress measurement, 65
DINI, D. *Paper* Stress analysis of V-notches with and without cracks, with application to foreign object damage, 429
DJORDJEVICH, A. *Paper* Structural deflection measurement, 37
DUÓ, P. *Paper* Stress analysis of V-notches with and without cracks, with application to foreign object damage, 429
DUTTA, M. *Paper* The effect of high compressive loading on residual stresses and fatigue crack growth at cold expanded holes, 419

EDWARDS, L. *Paper* The effect of high compressive loading on residual stresses and fatigue crack growth at cold expanded holes, 419
ELVIN, A. *Paper* A self-powered damage detection sensor, 115
ELVIN, N. *Paper* A self-powered damage detection sensor, 115
ESLAMI, M. R. *Paper* Boundary element analysis of finite domains under thermal and mechanical shock with the Lord–Shulman theory, 53

FISET, M. *Paper* Fretting fatigue analysis of aluminium conductor wires near the suspension clamp: metallurgical and fracture mechanics analysis, 133
FITZPATRICK, M. E. *Paper* The effect of high compressive loading on residual stresses and fatigue crack growth at cold expanded holes, 419
FITZSIMMONS, D. *Paper* Effective stiffness of postbuckled stiffened metallic panels under combined compression and shear stress, 539
FLAŠKER, J. *Paper* Mathematical models for determination of the residual stresses in gears, 529
FUENMAYOR, J. *Paper* On the analysis of singular stress fields. Part 2: application to complete slipping contacts, 207. *Paper* Frictional shakedown in a complete contact, 329

GARCÍA, H. *Paper* Theoretical stress concentration factors for short shouldered plates subjected to uniform tension, 103
GENG, Z. M. *Paper* Study on the transient response and wavelet time–frequency feature of a cracked rotor passage through a subcritical speed, 269
GENIN, J. *Technical Note* Force stream function method, 181
GOMES, C. *Paper* Theoretical stress concentration factors for short shouldered plates subjected to uniform tension, 103
GOODFELLOW, A. M. *Paper* Experimental investigation of corner-supported architectural glazing under pulse pressure loading, 469
GOUDREAU, S. *Paper* Fretting fatigue analysis of aluminium conductor wires near the suspension clamp: metallurgical and fracture mechanics analysis, 133
GOWHARI-ANARAKI, A. R. *Paper* Mixed-mode fatigue crack propagation in thin T-sections under plane stress, 557
GREAVES, E. D. *Paper* Control of geometrical sources of error in residual stress analysis by energy-dispersive X-ray diffraction, 283
GREENE, R. J. *Paper* Integrating thermoelastic and numerical stress methods for reliable analysis, 303
GRIFFITH, M. L. *Paper* Residual stresses in components formed by the laser-engineered net shaping (LENS^{R}) process, 519

HARDY, S. J. *Paper* Mixed-mode fatigue crack propagation in thin T-sections under plane stress, 557
HÄRKEGÅRD, G. *Paper* Neuber prediction of elastic–plastic strain concentration in notched tensile specimens under large-scale yielding, 79
HEITMANN, M. *Paper* Effective stiffness of postbuckled stiffened metallic panels under combined compression and shear stress, 539
HILL, M. R. *Paper* Improved data reduction for the deep-hole method of residual stress measurement, 65
HILLS, D. A. *Paper* Modelling plasticity using strain nuclei: discretization of the dislocation field by uniform triangles, 95. *Paper* The relationship between the Dang Van criterion and the traditional bulk fatigue criteria, 201. *Paper* On the analysis of singular stress fields. Part 2: application to complete slipping contacts, 207. *Paper* Frictional shakedown in a complete contact, 329
HOLDEN, T. M. *Paper* Residual stresses in components formed by the laser-engineered net shaping (LENS^{R}) process, 519
HORST, P. *Paper* Effective stiffness of postbuckled stiffened metallic panels under combined compression and shear stress, 539
HOSSEINI-TEHRANI, P. *Paper* Boundary element analysis of finite domains under thermal and mechanical shock with the Lord–Shulman theory, 53
HUANG, F. C. *Paper* An experimental study on the mixed-mode crack tip deformation fields in polymethyl methacrylate, 313
HWANG, B.-W. *Paper* Finite element analysis of calibration factors for the modified incremental strain method, 45
HYDE, T. H. *Review Paper* Creep analysis of pressurized circumferential pipe weldments—a review, 1. *Paper* Stress concentration factors in square and circular cross-sectioned bars with axial slots, 247

JAFFAR, M. J. *Paper* Computation of stresses and deformations for a two-dimensional sliding contact between an elastic layer and a rigid indenter with a rounded profile, 161

KIM, S.-H. *Paper* Finite element analysis of calibration factors for the modified incremental strain method, 45
KINGSTON, E. *Paper* Measurement of residual stresses in T-plate weldments, 349
KORSUNSKY, A. M. *Paper* The relationship between the Dang Van criterion and the traditional bulk fatigue criteria, 201

LAVELLE, B. *Paper* Control of geometrical sources of error in residual stress analysis by energy-dispersive X-ray diffraction, 283
LI, P.-N. *Paper* Evaluation of plastic limit load of piping branch junctions subjected to out-of-plane moment loadings, 395

© IMechE 2003

LIN, F. C. *Paper* Elimination of fold defects in the radial extrusion of tubular components using an elastic support ring, 169
LIN, S. Y. *Paper* Elimination of fold defects in the radial extrusion of tubular components using an elastic support ring, 169
LING, X. *Paper* Interpretation of damage mechanics behaviour of two-bar structures for the life extension of high-temperature components, 125
LIVIERI, P. *Paper* Elastoplastic strain concentration factors in finite thickness plates, 31
LUO, P.-F. *Paper* An experimental study on the mixed-mode crack tip deformation fields in polymethyl methacrylate, 313

McKELLAR, D. K. *Paper* Modelling plasticity using strain nuclei: discretization of the dislocation field by uniform triangles, 95
MALL, S. *Paper* Computational modelling of shot-peening effects on crack propagation under fretting fatigue, 495
MANN, T. *Paper* Neuber prediction of elastic–plastic strain concentration in notched tensile specimens under large-scale yielding, 79
MARÍN, A. *Paper* Theoretical stress concentration factors for short shouldered plates subjected to uniform tension, 103
MAY, P. S. *Paper* Measurement of residual stresses in T-plate weldments, 349
METTI, C. *Paper* Strain patterns induced by press-fitting and by an external load in hip arthroplasty: a photoelastic coating study on bone models, 289
MOY, S. S. J. *Paper* Quadrilateral finite elements for multilayer sandwich plates, 377
MUGADU, A. *Paper* On the analysis of singular stress fields. Part 2: application to complete slipping contacts, 207. *Paper* Frictional shakedown in a complete contact, 329
MURATA, K. *Paper* X-ray residual stress analysis of cylindrically curved surfaces—estimation of circumferential distributions of residual stresses, 459

NAYAK, A. K. *Paper* Quadrilateral finite elements for multilayer sandwich plates, 377
NAYFEH, J. F. *Paper* Design of a defence hole system for a shear-loaded plate, 507
NICHOLSON, D. W *Paper* Design of a defence hole system for a shear-loaded plate, 507
NICOLETTO, G. *Paper* Elastoplastic strain concentration factors in finite thickness plates, 31
NIU, J. C. *Paper* Study on the transient response and wavelet time–frequency feature of a cracked rotor passage through a subcritical speed, 269
NOTARANGELO, G. *Paper* Stress concentration factors in square and circular cross-sectioned bars with axial slots, 247
NOWELL, D. *Paper* Stress analysis of V-notches with and without cracks, with application to foreign object damage, 429

O'DOWD, N. P. *Paper* Measurement of residual stresses in T-plate weldments, 349
OGURI, T. *Paper* X-ray residual stress analysis of cylindrically curved surfaces—estimation of circumferential distributions of residual stresses, 459
OUAKI, B. *Paper* Fretting fatigue analysis of aluminium conductor wires near the suspension clamp: metallurgical and fracture mechanics analysis, 133

PAPPALETTERE, C. *Paper* Stress concentration factors in square and circular cross-sectioned bars with axial slots, 247
PATTERSON, E. A. *Paper* Integrating thermoelastic and numerical stress methods for reliable analysis, 303. *Paper* A review of the general theory of thermoelastic stress analysis, 405
PERIDAS, G. *Paper* The relationship between the Dang Van criterion and the traditional bulk fatigue criteria, 201
PITARRESI, G. *Paper* A review of the general theory of thermoelastic stress analysis, 405

RANGASWAMY, P. *Paper* Residual stresses in components formed by the laser-engineered net shaping (LENS®) process, 519
RAOOF, M. *Paper* Simple determination of the axial stiffness for large-diameter independent wire rope core or fibre core wire ropes, 577
RIDGE, I. M. L. *Paper* Comparison of white metal and resin socket terminations for wire ropes, 149
RODRÍGUEZ, F. *Paper* Theoretical stress concentration factors for short shouldered plates subjected to uniform tension, 103
RODRÍGUEZ, S. *Paper* Theoretical stress concentration factors for short shouldered plates subjected to uniform tension, 103
ROGGE, R. B. *Paper* Residual stresses in components formed by the laser-engineered net shaping (LENS®) process, 519

SACKFIELD, A. *Paper* Modelling plasticity using strain nuclei: discretization of the dislocation field by uniform triangles, 95
SAEZ, R. *Paper* Frictional shakedown in a complete contact, 329
SAJO-BOHUS, L. *Paper* Control of geometrical sources of error in residual stress analysis by energy-dispersive X-ray diffraction, 283
SATO, Y. *Paper* X-ray residual stress analysis of cylindrically curved surfaces—estimation of circumferential distributions of residual stresses, 459
SCHLEYER, G. K. *Paper* Experimental investigation of corner-supported architectural glazing under pulse pressure loading, 469
SHENOI, R. A. *Paper* Quadrilateral finite elements for multilayer sandwich plates, 377. *Paper* Delamination modelling of a curved composite beam subjected to an opening bending moment, 453
SHKARAYEV, S. *Paper* Computational modelling of shot-peening effects on crack propagation under fretting fatigue, 495
SMITH, D. J. *Paper* Measurement of residual stresses in T-plate weldments, 349
SRIMANI, S. L. *Paper* An investigation for control of residual stress in roller-straightened rails, 261
STEFANESCU, D. *Paper* Experimental study of double cold expansion of holes, 339. *Paper* The effect of high compressive loading on residual stresses and fatigue crack growth at cold expanded holes, 419
STROZZI, A. *Paper* On the press fit of a crankpin into a circular web in pressed-up crankshafts, 189
SUH, C.-M. *Paper* Finite element analysis of calibration factors for the modified incremental strain method, 45
SUN, W. *Paper* Creep analysis of pressurized circumferential pipe weldments—a review, 1. *Paper* Stress concentration factors in square and circular cross-sectioned bars with axial slots, 247
SUSMEL, L. *Paper* Fatigue design in the presence of stress concentrations, 443

TAFRESHI, A. *Paper* Shape optimization of two-dimensional anisotropic structures using the boundary element method, 219
TAKESHI, I. *Paper* Strain-concentration factor of plane-strain notched rectangular bars under pure bending, 483
TAMOTSU, M. *Paper* Strain-concentration factor of plane-strain notched rectangular bars under pure bending, 483
TAYLOR, D. *Paper* Fatigue design in the presence of stress concentrations, 443
TONG, J. *Paper* Determination of creep curves from multiple hardening–relaxation testing, 277
TROYANI, N. *Paper* Theoretical stress concentration factors for short shouldered plates subjected to uniform tension, 103
TU, S.-T. *Paper* Interpretation of damage mechanics behaviour of two-bar structures for the life extension of high-temperature components, 125. *Paper* Evaluation of plastic limit load of piping branch junctions subjected to out-of-plane moment loadings, 395
TUR, M. *Paper* On the analysis of singular stress fields. Part 2: application to complete slipping contacts, 207

VACCARI, P. *Paper* On the press fit of a crankpin into a circular web in pressed-up crankshafts, 189
VICECONTI, M. *Paper* Strain patterns induced by press-fitting and by an external load in hip arthroplasty: a photoelastic coating study on bone models, 289

WANG, D. Q. *Paper* The effect of high compressive loading on residual stresses and fatigue crack growth at cold expanded holes, 419
WANG, W. *Paper* Delamination modelling of a curved composite beam subjected to an opening bending moment, 453
WEBSTER, G. A. *Paper* Measurement of residual stresses in T-plate weldments, 349
WILLIAMS, J. A. *Paper* Creep analysis of pressurized circumferential pipe weldments—a review, 1

© IMechE 2003

WIMPORY, R. C. *Paper* Measurement of residual stresses in T-plate weldments, 349
WU, X. *Technical Note* Force stream function method, 181

XUAN, F.-Z. *Paper* Evaluation of plastic limit load of piping branch junctions subjected to out-of-plane moment loadings, 395

YOKOYAMA, T. *Paper* Experimental determination of impact tensile properties of adhesive butt joints with the split Hopkinson bar, 233

ZHAN, Z. *Technical Note* Determination of creep curves from multiple hardening–relaxation testing, 277
ZIDAN, A. A. *Paper* A technique for the determination of post-yield material properties from the small punch test, 367
ZOU, J. *Technical Note* Study on the transient response and wavelet time–frequency feature of a cracked rotor passage through a subcritical speed, 269

© IMechE 2003

Subject Index

Adhesive butt joints, 233
Aluminium conductor wires, 133
Analysis:
  boundary element, 53
  creep, 1
  finite element, 45
  fretting fatigue, 133
  metallurgical and fracture mechanics, 133
  of singular stress fields, 207
  reliable, 303
  residual stress, 283
  stress, 429
  thermoelastic stress, 405
  X-ray residual stress, 459
AN EXPERIMENTAL STUDY ON THE MIXED-MODE CRACK TIP DEFORMATION FIELDS IN POLYMETHYL METHACRYLATE, *Paper*, 313
AN INVESTIGATION FOR CONTROL OF RESIDUAL STRESS IN ROLLER-STRAIGHTENED RAILS, *Paper*, 261
Anisotropic structures, two-dimensional, 219
Architectural glazing, corner-supported, 469
A REVIEW OF THE GENERAL THEORY OF THERMOELASTIC STRESS ANALYSIS, *Paper*, 405
Arthroplasty, hip, 289
A SELF-POWERED DAMAGE DETECTION SENSOR, *Paper*, 115
A TECHNIQUE FOR THE DETERMINATION OF POST-YIELD MATERIAL PROPERTIES FROM THE SMALL PUNCH TEST, *Paper*, 367
Axial slots, 247
Axial stiffness, 577

Bars:
  plane-strain notched rectangular, 483
  split Hopkinson, 233
  square and circular cross-sectioned, 247
Beam, curved composite, 453
Behaviour, damage mechanics, 125
Bending moment, opening, 453
Bending, pure, 483
Bone models, 289
Boundary element analysis, 53
BOUNDARY ELEMENT ANALYSIS OF FINITE DOMAINS UNDER THERMAL AND MECHANICAL SHOCK WITH THE LORD–SHULMAN THEORY, *Paper*, 53
Boundary element method, 219
Branch junctions, piping, 395
Bulk fatigue criteria, traditional, 201
Butt joints, adhesive, 233

Calibration factors, 45
Circular cross-sectioned bars, 247
Circular web, 189
Circumferential distributions, 459
Circumferential pipe weldments, pressurized, 1
Clamp, suspension, 133
Coating study, photoelastic, 289
Cold expanded holes, 419
COMPARISON OF WHITE METAL AND RESIN SOCKET TERMINATIONS FOR WIRE ROPES, *Paper*, 149
Complete slipping contacts, 207
Components:
  high-temperature, 125
  tubular, 169
Composite beam, curved, 453
Compression, 539
Compressive loading, high, 419
Computational modelling, 495
COMPUTATIONAL MODELLING OF SHOT-PEENING EFFECTS ON CRACK PROPAGATION UNDER FRETTING FATIGUE, *Paper*, 495
COMPUTATION OF STRESSES AND DEFORMATIONS FOR A TWO-DIMENSIONAL SLIDING CONTACT BETWEEN AN ELASTIC LAYER AND A RIGID INDENTER WITH A ROUNDED PROFILE, *Paper*, 161
Concentrations, stress, 443
Concentration factor:
  elastoplastic strain, 31
  strain, 483
  stress, 247
  theoretical stress, 103
Conductor wires, aluminium, 133
Contact:
  complete, 329
  complete slipping, 207
  two-dimensional sliding, 161
CONTROL OF GEOMETRICAL SOURCES OF ERROR IN RESIDUAL STRESS ANALYSIS BY ENERGY-DISPERSIVE X-RAY DIFFRACTION, *Paper*, 283
Core, large-diameter independent wire rope, 577
Corner-supported architectural glazing, 469
Crack, 429:
  growth, fatigue, 419
  propagation, 495
  propagation, mixed-mode fatigue, 557
  tip deformation fields, mixed-mode, 313
Cracked rotor passage, 269
Crankpin, 189
Crankshafts, pressed-up, 189
Creep:
  analysis, 1
  curves, 277
CREEP ANALYSIS OF PRESSURIZED CIRCUMFERENTIAL PIPE WELDMENTS—A REVIEW, *Review Paper*, 1
Criterion:
  Dang Van, 201
  traditional bulk fatigue, 201
Curved composite beam, 453
Curved surfaces, cylindrically, 459
Curves, creep, 277
Cylindrically curved surfaces, 459

Damage:
  detection sensor, self-powered, 115
  foreign object, 429
  mechanics behaviour, 125
Dang Van criterion, 201
Data reduction, 65
Deep-hole method of residual stress measurement, 65
Defects, fold, 169
Defence hole system, 507
Deflection measurement, structural, 37
Deformations, 161
Deformation fields, mixed-mode crack tip, 313
Delamination modelling, 453
DELAMINATION MODELLING OF A CURVED COMPOSITE BEAM SUBJECTED TO AN OPENING BENDING MOMENT, *Paper*, 453
Design, fatigue, 443
DESIGN OF A DEFENCE HOLE SYSTEM FOR A SHEAR-LOADED PLATE, *Paper*, 507
DETERMINATION OF CREEP CURVES FROM MULTIPLE HARDENING–RELAXATION TESTING, *Technical Note*, 277
Diffraction, energy-dispersive X-ray, 283
Discretization, 95
Dislocation field, 95
Distributions, circumferential, 459
Domains, finite, 53
Double cold expansion of holes, 339

Effects, shot-peening, 495
Effective stiffness, 539
EFFECTIVE STIFFNESS OF POSTBUCKLED STIFFENED METALLIC PANELS UNDER COMBINED COMPRESSION AND SHEAR STRESS, *Paper*, 539

© IMechE 2003

Elastic layer, 161
Elastic–plastic strain concentration, 79
Elastic support ring, 169
Elastoplastic strain concentration factors, 31
ELASTOPLASTIC STRAIN CONCENTRATION FACTORS IN FINITE THICKNESS PLATES, *Paper*, 31
ELIMINATION OF FOLD DEFECTS IN THE RADIAL EXTRUSION OF TUBULAR COMPONENTS USING AN ELASTIC SUPPORT RING, *Paper*, 169
Energy-dispersive X-ray diffraction, 283
Error, sources of, 283
EVALUATION OF PLASTIC LIMIT LOAD OF PIPING BRANCH JUNCTIONS SUBJECTED TO OUT-OF-PLANE MOMENT LOADINGS, *Paper*, 395
Expanded holes, cold, 419
Expansion of holes, double cold, 339
EXPERIMENTAL DETERMINATION OF IMPACT TENSILE PROPERTIES OF ADHESIVE BUTT JOINTS WITH THE SPLIT HOPKINSON BAR, *Paper*, 233
EXPERIMENTAL INVESTIGATION OF CORNER-SUPPORTED ARCHITECTURAL GLAZING UNDER PULSE PRESSURE LOADING, *Paper*, 469
EXPERIMENTAL STUDY OF DOUBLE COLD EXPANSION OF HOLES, *Paper*, 339
External load, 289
Extrusion, radial, 169

Factors:
  calibration, 45
  elastoplastic strain concentration, 31
  strain concentration, 483
  stress concentration, 247
  theoretical stress concentration, 103
Fatigue:
  analysis, fretting, 133
  crack growth, 419
  crack propagation, mixed-mode, 557
  criteria, traditional bulk, 201
  design, 443
  fretting, 495
FATIGUE DESIGN IN THE PRESENCE OF STRESS CONCENTRATIONS, *Paper*, 443
Fibre core wire ropes, 577
Fields:
  analysis of singular stress, 207
  dislocation, 95
  mixed-mode crack tip deformation, 313
Finite domains, 53
Finite elements, quadrilateral, 377
Finite element analysis, 45
FINITE ELEMENT ANALYSIS OF CALIBRATION FACTORS FOR THE MODIFIED INCREMENTAL STRAIN METHOD, *Paper*, 45
Finite thickness plates, 31
Fit, press, 189
Fold defects, 169
FORCE STREAM FUNCTION METHOD, *Technical Note*, 181
Foreign object damage, 429
Fracture mechanics analysis, 133
Fretting fatigue, 495
Fretting fatigue analysis, 133
FRETTING FATIGUE ANALYSIS OF ALUMINIUM CONDUCTOR WIRES NEAR THE SUSPENSION CLAMP: METALLURGICAL AND FRACTURE MECHANICS ANALYSIS, *Paper*, 133
Frictional shakedown, 329
FRICTIONAL SHAKEDOWN IN A COMPLETE CONTACT, *Paper*, 329
Function method, force stream, 181

Gears, 529
Glazing, corner-supported architectural, 469
Growth, fatigue crack, 419

Hardening–relaxation testing, multiple, 277
High compressive loading, 419
High-temperature components, 125
Hip arthroplasty, 289
Holes:
  cold expanded, 419
  double cold expansion of, 339
Hole system, defence, 507
Hopkinson bar, split, 233

Impact tensile properties, 233
IMPROVED DATA REDUCTION FOR THE DEEP-HOLE METHOD OF RESIDUAL STRESS MEASUREMENT, *Paper*, 65
Incremental strain method, modified, 45
Indenter, rigid, 161
INTEGRATING THERMOELASTIC AND NUMERICAL STRESS METHODS FOR RELIABLE ANALYSIS, *Paper*, 303
INTERPRETATION OF DAMAGE MECHANICS BEHAVIOUR OF TWO-BAR STRUCTURES FOR THE LIFE EXTENSION OF HIGH-TEMPERATURE COMPONENTS, *Paper*, 125

Joints, adhesive butt, 233
Junctions, piping branch, 395

Large-diameter independent wire rope core, 577
Laser-engineered net shaping (LENS®) process, 519
Layer, elastic, 161
Life extension, 125
Load:
  external, 289
  plastic limit, 395
Loading:
  high compressive, 419
  out-of-plane moment, 395
  pulse pressure, 469
Lord–Shulman theory, 53

Material properties, post-yield, 367
Mathematical models, 529
MATHEMATICAL MODELS FOR DETERMINATION OF THE RESIDUAL STRESSES IN GEARS, *Paper*, 529
Measurement:
  of residual stresses, 349
  residual stress, 65
  structural deflection, 37
MEASUREMENT OF RESIDUAL STRESSES IN T-PLATE WELDMENTS, *Paper*, 349
Mechanical shock, 53
Mechanics analysis, metallurgical and fracture, 133
Mechanics behaviour, damage, 125
Metal, white, 149
Metallurgical and fracture mechanics analysis, 133
Method:
  boundary element, 219
  deep-hole, 65
  force stream function, 181
  modified incremental strain, 45
  thermoelastic and numerical stress, 303
Mixed-mode crack tip deformation fields, 313
Mixed-mode fatigue crack propagation, 557
MIXED-MODE FATIGUE CRACK PROPAGATION IN THIN T-SECTIONS UNDER PLANE STRESS, *Paper*, 557
Modelling:
  computational, 495
  delamination, 453
  plasticity, 95
MODELLING PLASTICITY USING STRAIN NUCLEI: DISCRETIZATION OF THE DISLOCATION FIELD BY UNIFORM TRIANGLES, *Paper*, 95
Models:
  bone, 289
  mathematical, 529
Modified incremental strain method, 45
Moment loadings, out-of-plane, 395
Moment, opening bending, 453
Multilayer sandwich plates, 377
Multiple hardening–relaxation testing, 277

© IMechE 2003

Net shaping process, laser engineered (LENS®), 519
Neuber prediction, 79
NEUBER PREDICTION OF ELASTIC–PLASTIC STRAIN CONCENTRATION IN NOTCHED TENSILE SPECIMENS UNDER LARGE-SCALE YIELDING, 79
Notched rectangular bars, plane-strain, 483
Notched tensile specimens, 79
Notches, V-, 429
Nuclei, strain, 95
Numerical stress method, 303

ON THE ANALYSIS OF SINGULAR STRESS FIELDS. PART 2: APPLICATION TO COMPLETE SLIPPING CONTACTS, *Paper*, 207
ON THE PRESS FIT OF A CRANKPIN INTO A CIRCULAR WEB IN PRESSED-UP CRANKSHAFTS, *Paper*, 189
Opening bending moment, 453
Optimization, shape, 219
Out-of-plane moment loadings, 395

Panels, postbuckled stiffened metallic, 539
Passage, cracked rotor, 269
Patterns, strain, 289
Photoelastic coating study, 289
Pipe weldments, pressurized circumferential, 1
Piping branch junctions, 395
Plane-strain notched rectangular bars, 483
Plane stress, 557
Plasticity, modelling, 95
Plastic limit load, 395
Plates:
  finite thickness, 31
  multilayer sandwich, 377
  shear-loaded, 507
  short shouldered, 103
Polymethyl methacrylate, 313
Postbuckled stiffened metallic panels, 539
Post-yield material properties, 367
Prediction, Neuber, 79
Pressed-up crankshafts, 189
Press fit, 189
Press fitting, 289
Pressure loading, pulse, 469
Process, laser-engineered net shaping (LENS®), 519
Profile, rounded, 161
Propagation:
  crack, 495
  mixed-mode fatigue crack, 557
Properties:
  impact tensile, 233
  post-yield material, 367
Pulse pressure loading, 469
Punch test, small, 367
Pure bending, 483

Quadrilateral finite elements, 377
QUADRILATERAL FINITE ELEMENTS FOR MULTILAYER SANDWICH PLATES, *Paper*, 377

Radial extrusion, 169
Rails, roller-straightened, 261
Rectangular bars, plane-strain notched, 483
Reduction, data, 65
Reliable analysis, 303
Residual stress, 261, 349, 419, 459, 519, 529
Residual stress analysis, 283:
  X-ray, 459
RESIDUAL STRESSES IN COMPONENTS FORMED BY THE LASER-ENGINEERED NET SHAPING (LENS®) PROCESS, *Paper*, 519
Resin socket terminations, 149
Response, transient, 269
Rigid indenter, 161
Ring, elastic support, 169
Roller-straightened rails, 261
Rope core, large-diameter independent wire, 577
Ropes:
  fibre core wire, 577
  wire, 149
Rotor passage, cracked, 269
Rounded profile, 161

Sandwich plates, multilayer, 377
Self-powered damage detection sensor, 115
Sensor, self-powered damage detection sensor, 115
Shape optimization, 219
SHAPE OPTIMIZATION OF TWO-DIMENSIONAL ANISOTROPIC STRUCTURES USING THE BOUNDARY ELEMENT METHOD, *Paper*, 219
Shear-loaded plate, 507
Shear stress, 539
Shock, thermal and mechanical, 53
Short shouldered plates, 103
Shot-peening effects, 495
SIMPLE DETERMINATION OF THE AXIAL STIFFNESS FOR LARGE-DIAMETER INDEPENDENT WIRE ROPE CORE OF FIBRE CORE WIRE ROPES, *Paper*, 577
Singular stress fields, analysis of, 207
Sliding contact, two-dimensional, 161
Slipping contacts, complete, 207
Slots, axial, 247
Small punch test, 367
Socket terminations, resin, 149
Sources of error, 283
Specimens, notched tensile, 79
Speed, subcritical, 269
Split Hopkinson bar, 233
Square cross-sectioned bars, 247
Stiffness:
  axial, 577
  effective, 539
Strain:
  concentration factor, 483
  concentration factors:
    elastic–plastic, 79
    elastoplastic, 31
  method, modified incremental, 45
  nuclei, 95
  patterns, 289
  plane, notched rectangular bars, 483
STRAIN-CONCENTRATION FACTOR OF PLANE-STRAIN NOTCHED RECTANGULAR BARS UNDER PURE BENDING, *Paper*, 483
STRAIN PATTERNS INDUCED BY PRESS-FITTING AND BY AN EXTERNAL LOAD IN HIP ARTHROPLASTY: A PHOTOELASTIC COATING STUDY ON BONE MODELS, *Paper*, 289
Stream function method, force 181
Stress, 161:
  analysis, 429:
    residual, 283
    thermoelastic, 405
    X-ray residual, 459
  concentration, 443:
    factors, 247
    factors, theoretical, 103
  fields, analysis of singular, 207
  measurement, residual, 65
  methods, thermoelastic and numerical, 303
  plane, 557
  residual, 261, 349, 419, 459, 519, 529
  shear, 539
STRESS ANALYSIS OF V-NOTCHES WITH AND WITHOUT CRACKS, WITH APPLICATION TO FOREIGN OBJECT DAMAGE, *Paper*, 429
STRESS CONCENTRATION FACTORS IN SQUARE AND CIRCULAR CROSS-SECTIONED BARS WITH AXIAL SLOTS, *Paper*, 247
STRUCTURAL DEFLECTION MEASUREMENT, *Paper*, 37
Structures:
  two-bar, 125
  two-dimensional anisotropic, 219

© IMechE 2003

Study, photoelastic coating, 289
STUDY ON THE TRANSIENT RESPONSE AND WAVELET TIME–FREQUENCY FEATURE OF A CRACKED ROTOR PASSAGE THROUGH A SUBCRITICAL SPEED, *Technical Note*, 269
Subcritical speed, 269
Support ring, elastic, 169
Surfaces, cylindrically curved, 459
Suspension clamp, 133
System, defence hole, 507

Tensile properties, impact, 233
Tensile specimens, notched, 79
Tension, uniform, 103
Terminations, resin socket, 149
Test, small punch, 367
Testing, multiple hardening–relaxation, 277
THE EFFECT OF HIGH COMPRESSIVE LOADING ON RESIDUAL STRESSES AND FATIGUE CRACK GROWTH AT COLD EXPANDED HOLES, *Paper*, 419
THEORETICAL STRESS CONCENTRATION FACTORS FOR SHORT SHOULDERED PLATES SUBJECTED TO UNIFORM TENSION, *Paper*, 103
Theory, Lord–Shulman, 53
THE RELATIONSHIP BETWEEN THE DANG VAN CRITERION AND THE TRADITIONAL BULK FATIGUE CRITERIA, *Paper*, 201
Thermal shock, 53
Thermoelastic stress:
  analysis, 405
  method, 303
Thickness plates, finite, 31
Thin T-sections, 557
Time–frequency feature, wavelet, 269
T-plate weldments, 349
Transient response, 269
Triangles, uniform, 95
T-sections, thin, 557
Tubular components, 169
Two-bar structures, 125
Two-dimensional anisotropic structures, 219
Two-dimensional sliding contact, 161

Uniform tension, 103
Uniform triangles, 95

V-notches, 429

Wavelet time–frequency feature, 269
Web, circular, 189
Weldments:
  pressurized circumferential pipe, 1
  T-plate, 349
Wire:
  aluminium conductor, 133
  rope core, large-diameter independent, 577
  ropes, 149:
    fibre core, 577

X-ray:
  diffraction, energy-dispersive, 283
  residual stress analysis, 459

Yielding, large-scale, 79

© IMechE 2003